



Index

True-to-life floors	3
TFD a toughtfull choice	4
New in the collection	5
Futura	6
Easy	8
Experience	10
Creative Stone	12
Firm	14
Rigid Core	16
Heritage	18
Elements	20
Steady	22
Living	23
Ossis Rigid	25
Ossis	26
Hungarian Point	26
Woven L ⁺	28
Rigid Core	29
Style Register	30
Style Pro	32
Style Pro Sharon	34
Style Stone	36
1.5 Plank	38
Style 3mm	39
Touch Leather	40
Espina	41
Innovative Register	42
Innovative Stone	44
USP's of a TFD floor	48









True-to-life floors

The versatile collection of LVT floors from TFD have true-to-life decors. Among other things a register embossing plank finish is used. By this we mean that the relief of the plank corresponds to the print. This is called Embossed In Register (EIR), or register embossing. The floors have beautiful structures such as wood, stone, concrete and marble, in an extensive color palette. Through new innovative techniques, the grain is clearly visible and adds depth and character to the floor.

Our designers find their creative inspiration in nature and follow the important trends in the field of fashion, interior design and architecture. Through unique combinations of advanced techniques, color treatments and layering and the right choice of plank finish (matt, glossy or satin), a surprising collection of natural-looking floors has been developed.

At TFD you will find true-to-life LVT floors with unique designs for every interior, both trendy, industrial, modern, rustic and classic.

TFD a toughtfull choice

A flooring directly determines the whole atmosphere of a room in a living environment, regardless of whether it is a living space or workplace. A thoughtful choice for ease of use, quality, durability and application possibilities make the floor reflect your personality. TFD has been an expert in the production of LVT floors for many years. The LVT floors from TFD are true to nature, warm and contemporary, pleasantly soft and wear-resistant hard, in wood and stone decor and yet strikingly sound damping. With a TFD floor, a space comes to life.

Sustainable and future-oriented

We strive for sustainability, clean production, good working conditions for our employees and refuse any form of child labour. TFD floors consist solely of so-called Virgin PVC's. These are pure first quality PVC's, not polluted by lesser qualities. Our LVT floors can be 100% recycled. This is how we see the future, taking care of the environment and the well-being of our customers.

For private and project use

The strong, wear-resistant LVT floors from TFD are very suitable for both the project market and for the private market. A wide choice of different decors and laying options offer our floors something for everyone. You can choose from bonding, click, loose lay or our magnetic system.

TFD a thoughtful choice for a comfortable, sustainable floor!

- Easy and cost-saving reducing maintenance
- Moisture and dirt proof
- Sound reduction
- Anti allergy
- Suitable for under-floor heating and cooling

New in the collection

The collection of LVT floors from TFD is regularly expanded with new floors, designs and colors. The floors below are new in our range.

Like all floors in our collection, these new LVT floors are made from Virgin PVC's and are not contaminated by lesser qualities.

These new floors also can be recycled.







Marble



Futura





This floor from the TFD collection has a matt look, a refined embossing and a natural design. The various shades match well with light and dark woods. The board fits in with the current trend development to combine different living styles. In addition, the length effect of the 1.5 m planks increases the optical perception of the room.

Futura	4x
Size:	228 x 1524 mm
Thickness:	2.5 mm
Wearlayer:	0.55 mm
Package content:	4.18 m ²












This floor is light in nature. The Easy reflects uncomplicated enjoyment. Due to the refined structure, this floor can be used in various living styles. The Easy effortlessly connects the various elements of your interior. This floor easily adapts to its environment and gives your interior a soft, inviting and friendly appearance. In addition, the Easy, like all our LVT floors, is very user-friendly and easy to maintain.

Easy		4x
Size:	228 x 1219 mm	
Thickness:	2.5 mm	
Wearlayer:	0.55mm	
Package content:	3.34 m ²	



Experience



The weathered nature of this LVT floor reflects a story. The design of these floor gives the impression that they have already had a lifetime behind them. This experience is enhanced by the image of earlier processing. The Experience comes into its own in an industrial living style that is characterized by natural and sturdy elements. Due to the neutral colors with striking accents, this floor combines well with materials such as metal, steel, leather, concrete, bricks and wood.

Experience 1 & 2	4x
Size:	229 x 1219 mm
Thickness:	2.5 mm
Wearlayer:	0.55 mm
Package content:	3.34 m ²

Experience 3, 4, 5, 6		
Size:	229 x 1498 mm	
Thickness:	2.5 mm	
Wearlayer:	0.55 mm	
Package content:	4.11 m ²	





Creative Stone







This floor is distinguished by a bold design, which ensures a creative appearance of your interior. The Creative Stone has a distinct character through the special adaptations of the "stone look". The oxidized effect and weathered concrete gives an experimental and surprising image of the space and comes fully into its own in an industrial living style. The special finish gives this LVT floor a rich appearance. Be inspired by the endless possibilities of this floor.



MS Stone		4x
Size:	914 x 914 mm	
Thickness:	2.5 mm	
Wearlayer:	0.55 mm	
Package content:	4.18 m² / 3,34	



Firm

This floor has a sturdy and robust appearance. It reflects the outdoors. The clear drawing and embossing of the floor has a natural character. With the Firm you bring the outdoor feeling inside. This LVT floor brings the experience of nature into your home. It fits in well with the trend to use natural shapes, large house plants and unfinished materials in interior styles. The Firm brings the interior to life.









Firm	4x
Size:	229 x 1498 mm
Thickness:	2.5 mm
Wearlayer:	0.55 mm
Package content:	4.11 m ²

Rigid Core Just Click collection


Meet the new click floors from TFD. The strong Rigid Just Click LVT floor can be used in both the private and contract market. They combine the best of both worlds: the ease of use of LVT and the simple installation process of a click floor. Rigid Just Click is 5.5 mm thick with a wear layer of 0.55 mm.

The embossing gives the designs a true-to-life appearance. The Rigid Core collection is strong and stable.

Just as with the production of (dryback) LVT floors, we also use a recipe without phthalates as plasticizers for our Rigid collection. Instead, we have opted for alternatives that have not been found to be harmful to human health and the environment. All our floors consist of Virgin PVC's. These are pure first-class PVC's that are not contaminated by lesser qualities. Making these LVT floors 100% recyclable.

Our floors are ready for the future.







Steady





Also available as dry back

Heritage Rigid Just Click

The Heritage is part of the Just Click collection. The warm appearance is characteristic for this floor. The Heritage exudes a full and rich character due to the various tones. This LVT floor creates a history to your interior. As a characteristic element, the Heritage fits in well with a living style with sturdy and vintage accents where unexpected combinations predominate. This floor matches with the interior style to combine materials such as coarse fabrics, sanded leather, unfinished wood and various types of natural stone to your heart's content.





Size B: 178 x 1492 mm



Size C: 230 x 1492 mm


Heritage A		4x
Size:	126 x 1492 mm	
Thickness:	5.5 mm	
Wearlayer:	0.55 mm	
Package content:	2.26 m ²	
Heritage B		4x
Size:	178 x 1492	
Thickness:	5.5 mm	
Wearlayer:	0.55 mm	
Package content:	2.13 m ²	
Heritage C		4x
Size:	230 x 1492 mm	_
Thickness:	5.5 mm	
Wearlayer:	0.55 mm	
Package content:	2.06 m ²	



Elements Rigid Just Click

The Elements is part of the Just Click collection. This LVT floor has a "natural stone" appearance. As if it is shaped and ground by the earthly elements, the Elements has a solid and soft character. The shade of earthy colors and the appearance of honest and natural material form a pure basis for your interior. By combining this floor with raw wood, linen and black steel, a balanced image is created in the room, which gives a feeling of peace and relaxation.





Size B: 228 x 1219 mm







Living 1613

appearance of the Living creates a homely atmosphere. This LVT floor

is very suitable for lavish living styles and thanks to its neutral color scheme, ensures coherence in the room. It can be effortlessly combined with colorful and soft materials, giving your interior an optimistic, warm and radiant character. In addition, the length effect of the extra long planks (1.79m) increases the optical perception of the room.

Living Rigid Just Click


The Living is part of the Just Click collection. This floor fits well in a light living environment. Where enjoying the moment and the sense of freedom is an art of living. The airy




Living	4x
Size:	178 x 1792 mm
Thickness:	5.5 mm
Wearlayer:	0.55 mm
Package content:	1.92 m ²

Steady Rigid Just Click

The Steady is part of the Just Click collection. This floor with a robust concrete appearance gives a solid foundation to your interior. The characteristic structure of the Steady creates a powerful interior image. This LVT floor matches the raw atmosphere that is reflected in interiors such as an industrial living style. When the Steady is combined with roughened metal, steel and leather, this floor comes into its own.





Size B: 228 x 1219 mm

Ossis Rigid Rigid Just Click

The Ossis Rigid collection from TFD is a floor that can be laid in a herringbone pattern. The planks are slanted and perpendicular to each other. The cascading pattern resembles the bone of a fish – hence the name. The somewhat narrower planks lie at an angle of 90 degrees against each other.

With the Ossis herringbone floor collection you create dynamics in the room and the pattern gives a timeless and luxurious look to your interior.









Verkrijgbaar in visgraat	
Ossis R02/ R05/ R06/ R08/ R10	
Size:	120 x 720 mm
Thickness:	6,0 mm
Wearlayer:	0,55 mm
Package content:	0,86 m²





The Ossis collection can be installed as a herringbone pattern and also as a straight plank, or a combination of both. With or without border strip and joint strip for a nice contrast. The different color shades can also be combined for a lively look.



Ossis



Wider boards of Ossis 4,5 and 6 are also available with which a larger (wal) herringbone pattern can be laid.



verkrijgbaar in visgraat		
Ossis 7260-2 / 7260-3		
Size:	101,6 x 609,6 mm	
Thickness:	3,0 mm	
Wearlayer:	0,70 mm	
Package content:	3,34 m² (1,2,3)	
	2,97 m ² (16, 17, 18)	

Ossis 4 / 5 / 6 / 16 /	17 / 18
Size:	101,6 x 609,6 mm
Thickness:	2,5 mm
Wearlayer:	0,55
Package content:	3,96 m² / 2,97 m²
Ook leverbaar in la	nge planken
19009 (Ossis 4)	1616-9 (Ossis 16)
19010 (Ossis 5)	1617-9 (Ossis 17)
19011 (Ossis 6)	1618-9 (Ossis 18)
Size:	228 x 1219 mm
Thickness:	2,5 mm
Wearlayer:	0,55 mm
Package content:	3,34 m² / 4,14 m²



Hungarian Point

The zigzag pattern of the Hungarian Point, brings visual dynamics in the optical experience. In origin it was a classic installing pattern for many wooden floors, now it's back in the interior as an actual modern design in LVT flooring, which fits very well in a sleek interior. In comparison to the installation method of the herringbone, the Hungarian point creates a much calmer look. Our Hungarian point, as flooring, makes impact and assures style.









Hungarian Point	4x
Size:	133.4 x 800.1 mm
Thickness:	2.5 mm
Wearlayer:	0.55 mm
Package content:	2.67 m ²

<u>Noven</u>

With this floor design is interwoven with technology. The Woven is made of woven PVC yarns. Due to the very strong fiber and the fine weave, the floor is very suitable for intensive use and durable in terms of lifespan. The EPT™ top layer treatment provides antibacterial protection. The surface of the floor feels soft and sound-damping, easy to clean and protected against discoloration. In addition, the reliable EPT™ core structure contributes to the stability of the Woven. This floor needs to be glued. A formulation without phthalates is used as plasticizers for the production of this floor. Instead, we have opted for alternatives that have not been found to be harmful to human health and the environment

Woven L⁺



Woven L ⁺	
Size:	250 x 1000 mm
Thickness:	3.0 mm
Package content:	4.00 m ²

Style Register



Available in 3,0 mm Register dryback (glueable) en Rigid Core 5.0 mm x 0.3 mm.



7260dryback (gluable)		4x
Size:	228 x 1219 mm	
Thickness:	3,0 mm	
Wearlayer:	0,7 mm	
Package content:	3,34 m²	








Rigid Core 7260	
Size:	218 x 1210 mm
Thickness:	4,0 mm + 1,0 mm IXPE
Wearlayer:	0,3 mm
Package content:	2,64 m ²



4x



UV-coating Transparent top layer Design film layer Rigid PVC-layer Sound proof layer









Style Pro






Style Pro Sharon

Feel and see the natural stone structure in a TFD floor. This floor can be delivered in a Dry-Back or in a Click version.





PRO SHARON		4x
Size:	457 x 914 mm	
Thickness:	2.5 mm	
Wearlayer:	0.55 mm	
Package content:	3.34 m ²	

Style Stone & Marble







All kind of minerals and stone in different features, like concrete, limestone, natural, marble, were the inspiration for our actual stone collection in LVT flooring. With this collection you can create your own contemporary look in your home, business of recreational area, in small, large or XL available.

Concrete		4x
Size:	914 x 914 mm	
Thickness:	2,5 mm	
Wearlayer:	0,55 mm	
Package content:	3,34 m²	

RS 631 / RM 3110 / TFD-3398		4x
Size:	457 x 610 mm	
Thickness:	2,5 mm	
Wearlayer:	0,55 mm	
Package content:	3,34 m²	










Marble stone		4x
Size:	914 x 914 mm	
Thickness:	2,5 mm	
Wearlayer:	0,55 mm	
Package content:	3,34 m²	













1.5 Plank











Pro+ 14	4x
Size:	228 x 1499 mm
Thickness:	2,5 mm
Wearlayer:	0,55 mm
Package content:	4,11 m ²
D	4x
Pro+ 45-2/45-4/46-1	
Size:	228 x 1524 mm
Size: Thickness:	228 x 1524 mm 2,5 mm
0.201	220 / 102 1 1111

Style 3mm







Style 3mm	4x
Size:	228 x 1219 mm
Thickness:	3,0 mm
Wearlayer:	0,7 mm
Package content:	3,34 m²





Touch Leather



LZ & 1603		4x	Black & White		<u>4x</u>
Size:	305 x 305 mm		Size:	457 x 457 mm	
Thickness:	3.0 mm		Thickness:	3.0 mm	
Wearlayer:	0.7 mm		Wearlayer:	0.7 mm	
Package content:	1.86 m²		Package content:	3.34 m ²	



Espina





TFD's products inspire and invite you to come up with creative floors.

Not everyday, but certainly different and inspiring. Think of a crazy accent color.

The Espina came from creative and inspiring designs. This collection is available as a herringbone and as a long plank. The Espina is a beautiful collection with a natural look. This collection has five colours, making it easy to combine with different interiors.



Espina (herringbone)		2x
Size:	150 x 750 mm	
Thickness:	2,5 mm	
Wearlayer:	0,55 mm	
Package content:	4,05 m ²	

Espina (plank size)		2x
Size:	228 x 1524 mm	
Thickness:	2,5 mm	
Wearlayer:	0,55 mm	
Package content:	4,86 m²	



Innovative Stone



This innovative flooring in stone optic is also available in our unique **magnetic flooring** system.









Artep 2 / 3 / 4 / 5 (dryback)		
Size:	457 x 610 mm	
Thickness:	2,5 mm	
Wearlayer:	0,55 mm	
Package content:	4,18 m ²	

Artep		4x
Size:	457 x 610 mm	
Thickness:	3,0 mm	
Wearlayer:	0,7 mm	
Package content:	3,34 m²	



Balance



Balance	4x
Size:	2300 x 1500 mm
Thickness:	2,0 mm
Wearlayer:	0,3 mm
Package content:	0 m ²

In times when sustainability plays an increasingly important role, it is right that a company like TFD, which is deeply committed to nature, has a modern, sustainable Ecological collection in its product portfolio.

In addition to the most important property that the Balance collection is PVC-free, it has a wear class 43 despite the small total thickness of only 2 mm and a wear layer of 0.3 mm! This is the same service class as our floors with a wear layer of 0.7.

This means that the balance can be used in all areas.



Balance 3618

Strips

914 x 30 x 30 mm / 914 x 30 x 25 mm

Black					
_	_	_	_	_	
Gray					
,					
Silver					
Brown					

Gold



Roll glue





Non-flammable Solvent-free Easy and safe to apply Favourable spreading capacity No grin through of adhesive trowel marks High final bond strength

For the installation of TFD LVT panels and -tiles on smooth subfloors. TDF adhesive is suitable for any type of subfloor that has good tensile and compression strength.





LVT FIX 1.8

Our underlayment, the LVT Fix 1.8, is an 1.8 mm thick product which forms a steady base for installing your LVT flooring. The foil has an self-adhesive upside on which the LVT flooring can be installed directly. It also provides a level surface, until 0.3 mm imperfections, so there will be no need to use other levelling products to create a smooth and flat surface before installing LVT. This foil makes it possible to install LVT flooring within a day's work. It also has a sound reduction of 15 dB, due to this sound reduction it's very suitable for apartment's which demand a minimum sound reduction. Next to the easy way of installing and the high level of sound reduction, the foil is also suitable for floor heating and -cooling, has an excellent thermical resistance and dynamic load.

Cleaning

TFD Cleaner

A LVT floor from TFD is easy to maintain. Regular vacuuming and mopping with TFD Cleaner keeps your floor as new. So no expensive semi-annual polish operation is required! Your floor is just beautiful. Without extra work.

USP's of a TFD floor



Sustainable and recyclable

TFD floors consist of so-called Virgin PVC's. It means that they are the first quality PVC's, pure and not polluted by lesser qualities. Our LVT floors can be recycled for 100% and can be used to produce a different product. That's how we think about the future!





Anti-allergy

The comfortable TFD floors are moisture and dirt resistant and have an extra durable PU top layer. For people (and animals) with an allergy it is of great importance that the floor is clean. Dust mites and dirt cannot accumulate due to the closed surface of the LVT floor. This prevents the provocation of allergic reactions. Another advantage of the TFD LVT floor is that due to the bacteriostatic property of LVT, the bacteria on the floor do not multiply.

Suitable for underfloor heating & cooling

The LVT floors from TFD are particularly suitable for use with underfloor heating. And possibly in combination with the right subfloor you make efficient use of this heat. The guideline for LVT is that the temperature on the underside of the floor must not exceed 27°C. Another advantage of the TFD LVT floor is that the reverse also works. The floor is also ideal for floor cooling in the summer. So you always have a pleasant warmth or coolness at home.



Moisture resistance and maintenance


All TFD LVT floors are water resistant and therefore very suitable for use in damp rooms such as the kitchen or the bathroom. The LVT floors from TFD are easy to maintain. Even when you have pets. Regular vacuuming is the most important thing. If necessary, you can then mop the floor with a PH-neutral cleaner without soap residue. We recommend our own TFD Cleaner, which has been specially developed for our LVT floors.



Shock-proof and sound-absorbing

The LVT floors from TFD are suitable for frequent and demanding use. They are resistant to high point and pressure loads. Thanks to the hard wear-resistant layer, ladies can walk across the floor with high heels. And when you want to move the furniture, you do not have to worry about unsightly pressure points. However, it is important that good felt caps are attached under the legs as protection. A LVT floor from TFD provides minimum sound transfer and meets the international noise standards. You can quietly read a book when the children play in the adjoining room or watch TV.

Symbols and pictograms





Welcome in our Experience Center

Get inspired by the floors of TFD! Your dealer is ready to make an appointment in our completely renewed TFD Experience Center in Dalfsen, it's allways at your disposal. You're welcome.



Headquarters

De Vesting 2	
7722 GA Dalfsen	
Netherlands	
Phone	+31 529 431 466
E-mail	info@tfd-floortile.com
Website	www.tfd-floortile.com/en

TFD Deutschland GmbH

Germany	
Phone	+49 6502 50600-0
E-mail	info@tfd-floortile.de
Website	www.tfd-floortile.com/de





Headquarter



De Vesting 2 7722 GA Dalfsen Nederland

Phone E-mail Website +31 529 431 466 info@tfd-floortile.com www.tfd-floortile.com/en Phone E-mail <u>W</u>ebsite +49 6502 50600-0 info@tfd-floortile.de www.tfd-floortile.com/de

TFD Germany